

## Meeting of Shutesbury, MA Conservation Commission Thursday March 28, 2019 7 PM EDT

Town Hall  
1 Cooleyville Rd. Shutesbury, MA 01072  
Conference Room

7:00pm: Public Meeting for Request for Determination of  
Applicability: For septic system repair with tight tank  
installation at 73 Shore Drive.

Consider the 3.14.19 meeting minutes for approval

Mail: Record Storage Advisory Committee request; educational  
opportunities

Site visit follow-up:

1. 114 West Pelham Road/Gomberg: BPA for ground-mount  
solar array

2. 71 Locks Pond Road/Fontaine: BPA for ground-mount solar  
array

Updates:

- Lake Wyola Dam OOC/Wildlife Habitat Evaluation plans
- Top of the Lake-LeClaire Conservation Area/Merrill Drive
- 104 Lake Drive inquiry
- RDA 51 Shore Drive due March 2019

Newsletter article

Review draft Kestrel Trust Memorandum of Understanding  
Issue Determination of Applicability/73 Shore Drive

Sumner Mt. Conservation Restriction: follow-up with Charles  
Eiseman

DCR Community Forest Stewardship Grant Program

Old Peach Orchard: baseline survey plans

Current financials:

Items to schedule: McNeill CR or Covenant Restriction;

Conservation Restriction Criteria; Consider change to legal  
notice policy; Conservation Area field trip

Items not anticipated by the Commission