Department of Environmental Protection

100 Cambridge Street 9th Floor Boston, MA 02114 • 617-292-5500

Maura T. Healey Governor Rebecca L. Tepper Secretary

Kimberley Driscoll Lieutenant Governor Bonnie Heiple Commissioner

WW06 - Simplified License Application

Permittee Information

Name: DONNA WEST Phone: (413) 355-0007 Address: 180 LONGHILL ST

SPRINGFIELD, MA 01108

Application Submitter Information

Name: DONNA WEST Phone: (413) 355-0007 Address: 180 LONGHILL ST

SPRINGFIELD, MA 01108

Location Information

Lake Wyola

59 SHORE DR SHUTESBURY, MA 01072

Latitude: 423019 Longitude: 722538

Pre-Application Information

Please enter the Pre-Application Record Number

23-WW-PRE-0097-APP

Additional Contacts Info

Please provide the Name of the Permittee(s) exactly as it should be listed in the license/permit that will be recorded at the Registry of Deeds (the name(s) listed here need to match the name(s) listed on the plans or the license may be rejected by the Registry of Deeds)

Donna West

I hereby attest that I have listed all the Permittees in the Application Contacts section (each Permittee entered as a separate contact - do not list 2 names in 1 field)

Yes

Is the project site within a right of way?

No

Are you submitting evidence of legal authority to apply in lieu of the Property Owner's Signature? If yes, please attach a document 'Evidence of Legal Authority' in the document section

No

I hereby attest that I have listed all the Property Owners in the Application Contacts section

Yes

Project Details

Apply for	Please select the structure / fill	Length of the structure (in ft)	Width of the structure (in ft)
Construct a new post - 1984 structure	Pier/ Dock	10	10
Construct a new post - 1984 structure	Gangway	10	3
Construct a new post - 1984 structure	Gangway	4	6

Project Information

Brief Description of Project (e.g., dock, seawall, boat ramp, Harborwalk – if a longer narrative is to be provided, please upload a separate document)

Seasonal gangway and floating dock attached to shoreline via two 2" stationary pipes.

Preceded by two stone steps

2'd x 6'w.

Brief Description of Project Location - Non-Traditional Address (e.g., "west end Toronto Avenue right-of-way at Gloucester Harbor" DO NOT complete this field if your project has a traditional address –enter N/A)

na

Tax Assessor's ID Number

32 B411, B412

Is the Project site in an Environmental Justice Community?

No

Which Wetlands Protection Act process document are you attaching?

WPA Notice of Intent

Attestation

Public Notice Newspaper Publication Notification Date 09/01/2023

Name of the publication where the public notice was published

Hampshire Gazette

Municipal Official Yes

Planning Board Yes

Zoning Enforcement Officer (for Coastal Structures only)

Yes

Conservation Commission Yes

All Property Owner

Interested Parties

Abutters

List of Documents

Documents

Required Documents:

- 1. Chapter 91 Plans
- 2. Copy of Public Notice
- 3. WPA Notice of Intent
- 4. WPA Plans

Special Fee Provision

Exemption

Exclusion (special agreement or policy)

Substitution (ASP/IRP)

Double Fee for Enforcement

Hardship payment extension request

Attachments

Name	Description	Туре	Latest Updated
public-notice-Donna West (1).pdf	copy of public notice	Copy of Public Notice	09/15/2023
59 Shore Drive_Notice of Intent Plans.pdf	WPA Plans	WPA Plans	09/15/2023
59 Shore Drive_Notice of Intent Documents (2).pdf	WPA Notice of Intent	WPA Notice of Intent	09/15/2023
Plan and Profile Views - Donna West 001.jpg	Ch 91 Plans	Chapter 91 Plans	09/15/2023

Application Contacts

Name	Organization Name	Contact Person	Telephone #	Contact Type	Email
DONNA, WEST	n/a	n/a	(413) 355-0007	Application Prepared By	18amesave@gmail.com

Fee Info

Amount: \$ 75.00 Status: Paid

Description: WW06 Application Fees

Payment Date: 15-Sep-2023

Certification Information

Individual
DONNA WEST
180 LONGHILL ST
SPRINGFIELD, MA 01108
United States

Telephone #: (413) 355-0007 E-mail: 18amesave@gmail.com

I hereby certify that the information submitted in this application and on the attached plans is true and accurate to the best of my knowledge and is in conformance with the eligibility requirements as outlined in the Simplified License.